


This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Original) A composition for performing a polynucleotide replication reaction, which comprises a buffer, one or more template polynucleotides, nucleotide triphosphates, one or more polymerase enzymes or fragments thereof, and one or more reaction adjuvants comprising compounds of the formula:



Formula I

wherein:

R₁ is C or S; and

when R₁ is C, X is =O, R₃ is N and R₆ is absent;

when R₁ is S, X is =O or  and R₃ is C;

[R₂ is H or CH₃ only when one or more of R₄, R₅ and R₆ is not H] and [otherwise R₂ is an unsubstituted or halogen-, hydroxy- or alkoxy- substituted alkyl or cycloalkyl of length m, wherein m is selected such that the total number of carbons in the compound is between 3 and 8 when R₁ is C and between 2 and 8 when R₁ is S; wherein any two of R₂, R₃, R₄, R₅ and R₆ optionally form a cyclic structure in which cyclization is effected through a bond between them; and

R₄, R₅ and R₆ each is H, alkyl, cycloalkyl or halogen-, hydroxy- or alkoxy-substituted alkyl or cycloalkyl of length n, wherein n is selected such that the total number of carbons in the compound is between 3 and 8 when R₁ is C and between 2 and 8 when R₁ is S.

2. (Original) The composition of claim 1, wherein the reaction adjuvant comprises a cyclic compound, wherein the cyclization is effected through a bond between any two of R₂, R₃, R₄, R₅ and R₆.

3. (Original) The composition of claim 2, wherein the cyclic portion of the compound comprises five, six or seven members.

AI
CDD4.
4. (Original) The composition of claim 3, wherein R₁ is C, R₃ is N, R₆ is absent and one of R₄ or R₅ is H.

5. (Original) The composition of claim 3, wherein R₁ is S and remainder of the compound is unsubstituted.

6. (Original) The composition of claim 1, wherein the reaction adjuvant comprises a compound in which R₁ is C, X is =O, R₃ is N and R₆ is absent.

7. (Original) The composition of claim 6, wherein the compound is cyclic.

8. (Original) The composition of claim 7, wherein the cyclic structure of the compound is formed by a bond between R_4 and R_5 .

9. (Original) The composition of claim 7, wherein the cyclic structure of the compound is a five, six, or seven-membered ring formed by a bond between R_2 and either R_4 or R_5 .

10. (Original) The composition of claim 9, wherein R_4 and R_5 are H, methyl or lower alkyl, or halogen-, hydroxy- or alkoxy-substituted lower alkyl.

AI
CO24.
11. (Original) The composition of claim 10, wherein the reaction adjuvant is selected from the group consisting of 2-pyrrolidone, N-methyl pyrrolidone and N-hydroxyethyl pyrrolidone, δ -valerolactam, ϵ -caprolactam and N-formyl morpholine.

12. (Original) The composition of claim 6, wherein the compound is acyclic.

13. (Original) The composition of claim 12, comprising a compound wherein R_2 is H, lower alkyl, or halogen- hydroxy- or alkoxy-substituted lower alkyl, provided that, when R_2 is H or methyl, one or both of R_4 and R_5 is methyl, lower alkyl, or halogen- hydroxy- or alkoxy-substituted lower alkyl.

14. (Original) The composition of claim 13, wherein the reaction adjuvant is selected from the group consisting of propionamide and N,N-dimethyl acetamide.

15. (Original) The composition of claim 1, wherein the reaction adjuvant comprises a compound in which R_1 is S, X is =O or $\text{O}=\text{O}$, and R_3 is C.

16. (Original) The composition of claim 15, wherein the compound is cyclic.

A1
CDDT.
17. (Original) The composition of claim 16, wherein the cyclic structure of the compound is a five, six, or seven-membered ring formed by a bond between R_2 and either R_4 , R_5 or R_6 .

18. (Original) The composition of claim 17, wherein the ring is unsubstituted except in R_1 .

19. (Original) The composition of claim 18, wherein the compound is selected from the group consisting of tetramethylene sulfone and tetramethylene sulfoxide.

20. (Original) The composition of claim 15, wherein the compound is acyclic.

21. (Original) The composition of claim 20, comprising a compound in which R_2 or R_3 is lower alkyl or substituted lower alkyl.

22. (Original) The composition of claim 21, wherein the compound is selected from the group consisting of methyl sulfone, ethyl sulfone, n-propyl sulfone, n-propyl sulfoxide and methyl *sec*-butyl sulfoxide.

23. (Original) The composition of claim 1, wherein the polynucleotide replication reaction is an amplification reaction.

AI
CDDH
24. (Original) The composition of claim 23, wherein the amplification reaction is selected from the group consisting of polymerase chain reaction, nucleic acid sequence-based amplification, transcription-based amplification system, self-sustained sequence replication, ligation amplification reaction, Q-beta replicase amplification and ligase chain reaction.

25. (Original) The composition of claim 1, wherein the one or more polymerases or fragments thereof is selected from the group consisting of Taq polymerase, Tth polymerase, Tme polymerase, Tli polymerase, Pfu polymerase, DNA polymerase I, Klenow fragment and reverse transcriptase.

26. (Original) The composition of claim 1, wherein the reaction adjuvant has a potency of at least 75% of the potency of DMSO or formamide in an equivalent polynucleotide chain reaction (PCR).

27. (Original) The composition of claim 1, wherein the reaction adjuvant has a specificity of at least 80% of the specificity of DMSO or formamide in an equivalent polynucleotide chain reaction (PCR).

28. (Original) The composition of claim 1, wherein the reaction adjuvant has an effective range spanning at least 0.1 M.


29. (Original) The composition of claim 1, wherein the polynucleotide template comprises greater than 50% G+C.

AI
004
30. (Original) The composition of claim 1, wherein the one or more polymerase enzymes or fragments thereof is selected from the group consisting of Taq polymerase, Tth polymerase, Tme polymerase, Tli polymerase, Pfu polymerase, DNA polymerase I, Klenow fragment and reverse transcriptase.

Claims 31-59 – Canceled.

60. (Original) A kit for performing a polynucleotide amplification reaction, comprising a container that includes:

a) one or more compounds of the formula:



wherein:

R₁ is C or S; and

when R₁ is C, X is =O, R₃ is N and R₆ is absent;

when R₁ is S, X is =O or  and R₃ is C;

A1
604.
R₂ is H or CH₃ only when one or more of R₄, R₅ and R₆ is not H, and otherwise R₂ is an unsubstituted or halogen-, hydroxy- or alkoxy- substituted alkyl or cycloalkyl of length m, wherein m is selected such that the total number of carbons in the compound is between 3 and 8 when R₁ is C and between 2 and 8 when R₁ is S; wherein any two of R₂, R₃, R₄, R₅ and R₆ optionally form a cyclic structure in which cyclization is effected through a bond between them; and

R₄, R₅ and R₆ each is H, alkyl, cycloalkyl or halogen-, hydroxy- or alkoxy-substituted alkyl or cycloalkyl of length n, wherein n is selected such that the total number of carbons in the compound is between 3 and 8 when R₁ is C and between 2 and 8 when R₁ is S; and

b) instructions for using the one or more compounds in a polynucleotide replication reaction.

61. (Original) The kit of claim 60, which further comprises one or more of:

- a) a polynucleotide replication reaction buffer;
- b) nucleotide triphosphates;

- c) oligonucleotide primers;
- d) a known template polynucleotide for use as a control; and
- e) one or more polymerase enzymes.


62. (Original) The kit of claim 61, customized for performing amplification reactions.

63. (Original) The kit of claim 62, customized for performing PCR.

Claims 64-66: Canceled.

AI
000.4
67. (Currently amended) A kit for performing a method for optimizing a polynucleotide replication reaction for a selected polynucleotide ~~the method of claim 64,~~ which comprises a container in which is included:

- a) ~~a~~ the plurality of reaction adjuvants comprising compounds of the formula:




Formula I

wherein:

R₁ is C or S; and

when R₁ is C, X is =O, R₃ is N and R₆ is absent;

when R_1 is S, X is $=O$ or  and R_3 is C;

R_2 is H or CH_3 only when one or more of R_4 , R_5 and R_6 is not H, and otherwise R_2 is an unsubstituted or halogen-, hydroxy- or alkoxy- substituted alkyl or cycloalkyl of length m, wherein m is selected such that the total number of carbons in the compound is between 3 and 8 when R_1 is C and between 2 and 8 when R_1 is S; wherein any two of R_2 , R_3 , R_4 , R_5 and R_6 optionally form a cyclic structure in which cyclization is effected through a bond between them; and

R_4 , R_5 and R_6 each is H, alkyl, cycloalkyl or halogen-, hydroxy- or alkoxy-substituted alkyl or cycloalkyl of length n, wherein n is selected such that the total number of carbons in the compound is between 3 and 8 when R_1 is C and between 2 and 8 when R_1 is S; and

b) instructions for using the reaction adjuvants to optimize polynucleotide replication of a selected template polynucleotide.

68. (Original) The kit of claim 67, which further comprises one or more of:

- a) a polynucleotide replication reaction buffer;
- b) nucleotide triphosphates;
- c) oligonucleotide primers;
- d) a known template polynucleotide for use as a control;
- e) one or more polymerase enzymes; and
- f) one or more reaction vessels for performing the plurality of polynucleotide

replication reactions.

DOCKET NO.: PU-0034 (01-1786/1823/1824-1)
Application No.: 10/056,917
Office Action Dated: March 24, 2003

PATENT

69. (Original) The kit of claim 68, customized for performing amplification reactions.

Al
CDJH
70. (Original) The kit of claim 69, customized for performing PCR.
